

## トラック・バス・小型トラック用ラジアルタイヤ諸元表

## TRUCK&amp;BUS ○トラック・バス用

タイヤサイズ	PR 又はLH等	適用リム ( )は標準リム	対応空気圧 (kPa)	最大負荷能力(kg)	
				単輪	複輪
215/70R17.5	123/121J	(6.00) 6.75	775	1550	1450
235/70R17.5	127/125J	(6.75) 7.50	750	1750	1650
●235/70R17.5	136/134JTR	(6.75) 7.50	850	2240	2120
225/80R17.5	123/122L	6.00 (6.75)	700	1550	1500
225/90R17.5	127/125L	6.00 (6.75)	700	1750	1650
9R19.5	14PR	6.00 (6.75)	725	1900	1800
225/70R19.5	130/128J	6.00 (6.75)	850	1900	1800
245/70R19.5	136/134J	6.75 (7.50)	850	2240	2120
265/70R19.5	140/138J	6.75 (7.50) 8.25	850	2500	2360
9R22.5	14PR	6.00 (6.75)	725	2030	1930
10R22.5	14PR	6.75 (7.50)	725	2415	2300
11R22.5	14PR	7.50 (8.25)	700	2725	2500
11R22.5	16PR	7.50 (8.25)	800	3000	2725
12R22.5	14PR	8.25 (9.00)	725	3000	2725
12R22.5	16PR	8.25 (9.00)	800	3250	2900
265/60R22.5	143/140J	7.50 (8.25)	900	2725	2500
285/60R22.5	148/145J	8.25 (9.00)	900	3150	2900
385/65R22.5	160J	(11.75)	875(900)	4500	-
425/65R22.5	165J	(13.00)	825	5150	-
235/70R22.5	138/135J	(6.75) 7.50	900	2360	2180
255/70R22.5	143/140J	6.75 (7.50) 8.25	900	2725	2500
11/70R22.5	14PR	7.50 (8.25)	800	2725	2500
275/70R22.5	148/145J	7.50 (8.25) 9.00	900	3150	2900
295/70R22.5	151/148J	8.25 (9.00)	900	3450	3150
315/70R22.5	154/150L	(9.00) 9.75	900	3750	3350
365/70R22.5	160J	(10.50) 11.75	875	4500	-
255/80R22.5	145/142J	6.75 (7.50) 8.25	900	2900	2650
275/80R22.5	151/148J	7.50 (8.25) 9.00	900	3450	3150
295/80R22.5	153/150J	8.25 (9.00)	900	3650	3350
315/80R22.5	156/153J	(9.00) 9.75	900	4000	3650
7.50R16	14PR	(6.00GS SDC)	700	1510	1440
8.25R16	14PR	6.00GS SDC (6.50H SDC)	625	1710	1630
7.50R18	14PR	(6.00S) 6.50T	775	1750	1650
8.25R20	14PR	6.00S (6.50T) 7.00T	725	2030	1930
9.00R20	14PR	6.50T (7.00T) 7.50V	725	2415	2300
10.00R20	14PR	7.00T (7.50V) 8.00V	725	2700	2425
11.1R20	16PR	7.00T (7.50V) 8.00V	750	2750	2510
11.00R20	14PR	7.50V (8.00V) 8.50V	725	2840	2670
11.00R20	16PR	7.50V (8.00V) 8.50V	775	3100	2785
12.00R20	18PR	8.00V (8.50V) 9.00V	775	3250	3095

●トレーラー専用サイズです。

## LIGHT TRUCK ○小型トラック用

タイヤサイズ	PR 又はLH等	適用リム ( )は標準リム	対応空気圧 (kPa)	最大負荷能力(kg)	
				単輪	複輪

145R10	6PR	3.00B (3.50B) 4.00B	350	400	370
145R12	6PR	3.50B (4.00B)	350	450	425
	8PR	3 <sup>1</sup> / <sub>2</sub> J 4J	450	520	495
155R12	6PR	4.00B (4.50B)	350	485	460
	8PR	4J 4 <sup>1</sup> / <sub>2</sub> J	450	560	535
145R13	6PR	3.50B (4.00B) 4.50B	350	475	460
	8PR	3 <sup>1</sup> / <sub>2</sub> J 4J 4 <sup>1</sup> / <sub>2</sub> J	450	550	525
155R13	6PR	4.00B (4.50B) 5.00B	350	510	490
	8PR	4J 4 <sup>1</sup> / <sub>2</sub> J 5J	450	595	565
165R13	6PR	4.00B (4.50B) 5.00B	350	585	560
	8PR	4J 4 <sup>1</sup> / <sub>2</sub> J 5J	450	670	640
175R13	6PR	4.50B (5.00B) 5.50B	350	635	605
	8PR	4 <sup>1</sup> / <sub>2</sub> J 5J 5 <sup>1</sup> / <sub>2</sub> J	450	730	690
165R14	6PR	4J (4 <sup>1</sup> / <sub>2</sub> J) 5J	350	615	590
	8PR	4J (4 <sup>1</sup> / <sub>2</sub> J) 5J	450	715	680
175R14	6PR	4 <sup>1</sup> / <sub>2</sub> J (5J) 5 <sup>1</sup> / <sub>2</sub> J	350	665	635
	8PR	4 <sup>1</sup> / <sub>2</sub> J (5J) 5 <sup>1</sup> / <sub>2</sub> J	450	775	735
185R14	6PR	5J (5 <sup>1</sup> / <sub>2</sub> J) 6JJ	350	725	690
	8PR	5J (5 <sup>1</sup> / <sub>2</sub> J) 6JJ	450	840	800
195R14	6PR	5J (5 <sup>1</sup> / <sub>2</sub> J) 6JJ	350	805	770
	8PR	5J (5 <sup>1</sup> / <sub>2</sub> J) 6JJ	450	935	890
165R15	6PR	(4 <sup>1</sup> / <sub>2</sub> K) 5K	350	630	600
	8PR	4 <sup>1</sup> / <sub>2</sub> J 5J	450	730	690
175/80R15	101/99L	4 <sup>1</sup> / <sub>2</sub> J (5J) 5 <sup>1</sup> / <sub>2</sub> JJ	450	825	775
		4 <sup>1</sup> / <sub>2</sub> K (5K) 5 <sup>1</sup> / <sub>2</sub> K			
	98/96L	4 <sup>1</sup> / <sub>2</sub> J (5J) 5 <sup>1</sup> / <sub>2</sub> J 6J	350	755	710
185/80R15	103/101L	4 <sup>1</sup> / <sub>2</sub> J (5J) 5 <sup>1</sup> / <sub>2</sub> J 6JJ	450	875	825
		4 <sup>1</sup> / <sub>2</sub> K (5K) 5 <sup>1</sup> / <sub>2</sub> K 6K			
	103/101L	5J (5 <sup>1</sup> / <sub>2</sub> J) 6JJ	350	875	825
195/80R15	107/105L	5K (5 <sup>1</sup> / <sub>2</sub> K) 6K	450	975	925
		(5.50F SDC)			
		5J (5 <sup>1</sup> / <sub>2</sub> J) 6JJ 6 <sup>1</sup> / <sub>2</sub> JJ	450	1030	975
205/80R15	109/107L	5K (5 <sup>1</sup> / <sub>2</sub> K) 6K 6 <sup>1</sup> / <sub>2</sub> K (5.50F SDC) 6.00GS SDC			
		5 <sup>1</sup> / <sub>2</sub> JJ (6JJ) 6 <sup>1</sup> / <sub>2</sub> JJ 7JJ	450	1120	1060
215/80R15	112/110L	5 <sup>1</sup> / <sub>2</sub> K (6K) 6 <sup>1</sup> / <sub>2</sub> K 5.50F SDC (6.00GS SDC)			
245/50R13	102L	7JJLT (7 <sup>1</sup> / <sub>2</sub> JJLT) 8JJLT	450	850	-
235/50R14	102L	7JJLT (7 <sup>1</sup> / <sub>2</sub> JJLT)	450	850	-
265/50R14	108L	7 <sup>1</sup> / <sub>2</sub> JJLT 8JJLT (8 <sup>1</sup> / <sub>2</sub> JJLT)	450	1000	-
185/65R15	101/99L	5J (5 <sup>1</sup> / <sub>2</sub> J) 6JJ	600	825	775
		5K (5 <sup>1</sup> / <sub>2</sub> K) 6K			
215/65R15	110/108L	6JJ (6 <sup>1</sup> / <sub>2</sub> J) 7JJ	600	1060	1000
		6K (6 <sup>1</sup> / <sub>2</sub> K) 7K			
195/70R15	106/104L	5J 5 <sup>1</sup> / <sub>2</sub> J (6JJ)	600	950	900
		5K 5 <sup>1</sup> / <sub>2</sub> K (6K)			
205/70R15	104/102L	(6JJ) 6 <sup>1</sup> / <sub>2</sub> JJ 5 <sup>1</sup> / <sub>2</sub> K (6K) 6 <sup>1</sup> / <sub>2</sub> K	450	900	850

215/70R15	107/105L	5 <sup>1</sup> / <sub>2</sub> JJ 6JJ (6 <sup>1</sup> / <sub>2</sub> JJ) 7JJ 5 <sup>1</sup> / <sub>2</sub> K 6K (6 <sup>1</sup> / <sub>2</sub> K)	450	975	925
175/75R15	103/101L	(5J) 5 <sup>1</sup> / <sub>2</sub> JJ (5K) 5 <sup>1</sup> / <sub>2</sub> K	600	875	825
185/75R15	106/104L	4 <sup>1</sup> / <sub>2</sub> J (5J) 5 <sup>1</sup> / <sub>2</sub> J 6JJ 4 <sup>1</sup> / <sub>2</sub> K (5K) 5 <sup>1</sup> / <sub>2</sub> K 6K	600	950	900
195/75R15	109/107L	5J (5 <sup>1</sup> / <sub>2</sub> JJ) 6JJ 5K (5 <sup>1</sup> / <sub>2</sub> K) 6K	600	1030	975
215/75R15	115/113L	5 <sup>1</sup> / <sub>2</sub> JJ (6JJ) 6 <sup>1</sup> / <sub>2</sub> JJ 7JJ 5 <sup>1</sup> / <sub>2</sub> K (6K) 6 <sup>1</sup> / <sub>2</sub> K	600	1215	1150
195/65R16	106/104L	5 <sup>1</sup> / <sub>2</sub> JJ (6JJ) 5 <sup>1</sup> / <sub>2</sub> K (6K)	600	950	900
205/65R16	109/107L	5 <sup>1</sup> / <sub>2</sub> JJ (6JJ) 6 <sup>1</sup> / <sub>2</sub> JJ 5 <sup>1</sup> / <sub>2</sub> K (6K) 6 <sup>1</sup> / <sub>2</sub> K	600	1030	975
195/70R16	109/107L	5J 5 <sup>1</sup> / <sub>2</sub> JJ (6JJ) 5K 5 <sup>1</sup> / <sub>2</sub> K (6K)	600	1030	975
205/70R16	111/109L	5 <sup>1</sup> / <sub>2</sub> JJ (6JJ) 6 <sup>1</sup> / <sub>2</sub> JJ 5 <sup>1</sup> / <sub>2</sub> K (6K) 6 <sup>1</sup> / <sub>2</sub> K	600	1090	1030
225/70R16	117/115L	6JJ (6 <sup>1</sup> / <sub>2</sub> JJ) 7JJ 6K (6 <sup>1</sup> / <sub>2</sub> K) 7K	600	1285	1215
205/75R16	113/111L	5J (5 <sup>1</sup> / <sub>2</sub> JJ) 6JJ 6 <sup>1</sup> / <sub>2</sub> JJ 5K (5 <sup>1</sup> / <sub>2</sub> K) 6K 6 <sup>1</sup> / <sub>2</sub> K	600	1150	1090
225/75R16	118/116L	(6JJ) 6 <sup>1</sup> / <sub>2</sub> JJ 7JJ (6K) 6 <sup>1</sup> / <sub>2</sub> K 7K	600	1320	1250
185/85R16	111/109L	4 <sup>1</sup> / <sub>2</sub> J (5J) 5 <sup>1</sup> / <sub>2</sub> JJ 6JJ 4 <sup>1</sup> / <sub>2</sub> K (5K) 5 <sup>1</sup> / <sub>2</sub> K 6K	600	1090	1030
195/85R16	114/112L	5J (5 <sup>1</sup> / <sub>2</sub> JJ) 6JJ 5K (5 <sup>1</sup> / <sub>2</sub> K) 6K	600	1180	1120
205/85R16	117/115L	5J (5 <sup>1</sup> / <sub>2</sub> JJ) 6JJ 6 <sup>1</sup> / <sub>2</sub> JJ 5K (5 <sup>1</sup> / <sub>2</sub> K) 6K 6 <sup>1</sup> / <sub>2</sub> K	600	1285	1215
215/85R16	120/118L	5 <sup>1</sup> / <sub>2</sub> JJ (6JJ) 6 <sup>1</sup> / <sub>2</sub> JJ 7JJ 5 <sup>1</sup> / <sub>2</sub> K (6K) 6 <sup>1</sup> / <sub>2</sub> K 7K	600	1400	1320
225/85R16	121/119L	(6JJ) 6 <sup>1</sup> / <sub>2</sub> JJ 7JJ (6K) 6 <sup>1</sup> / <sub>2</sub> K 7K	600	1450	1360
225/50R12.5	98L	(6.75SW)	450	750	-
235/50R13.5	102L	(6.75SW)	450	850	-
245/50R14.5	106L	6.75SW (7.50SW)	450	950	-
215/60R15.5	110/108L	(6.00SW)	600	1060	1000
185/70R15.5	106/104L	(5.25SW) 6.00SW (5.25SWA)	600	950	900
195/70R15.5	109/107L	5.25SW (6.00SW) 5.25SWA	600	1030	975
195/60R17.5	108/106L	5.25 (6.00)	600	1000	950
205/60R17.5	111/109L	5.25 (6.00) 6.75	600	1090	1030
225/60R17.5	116/114L	6.00 (6.75)	600	1250	1180
195/70R17.5	112/110L	5.25 (6.00)	600	1120	1060
205/70R17.5	115/113L	5.25 (6.00) 6.75	600	1215	1150
215/70R17.5	112/110L	(6.00) 6.75	450	1120	1060

	118/116L		600	1320	1250
205/80R17.5	114/112L		450	1180	1120
	120/118L	5.25 (6.00)	600	1400	1320
	6.00R15	8PR	(4.50E SDC) 4 <sup>1</sup> / <sub>2</sub> K	450	780
6.50R15	8PR	4.50E SDC 4 <sup>1</sup> / <sub>2</sub> K 5K	475	875	835
		(5.50F SDC) 5 <sup>1</sup> / <sub>2</sub> K			
6.50R15	10PR	(5.50F SDC)	550	970	920
7.00R15	8PR	(5.50F SDC) (5 <sup>1</sup> / <sub>2</sub> K)	450	980	935
7.00R15	10PR	(5.50F SDC)	525	1080	1030
7.00R15	12PR	(5.50F SDC)	600	1180	1120
7.50R15	10PR	5.50F SDC (6.00GS SDC)	575	1280	1215
7.50R15	12PR	(6.00GS SDC)	650	1385	1315
		(6.00GS SDC)			
7.50R15	14PR	(6.00GS SDC)	700	1450	1375
	8PR		475	920	870
	6.50R16	10PR	4.50E SDC (5.50F SDC)	550	1010
7.00R16	12PR		625	1090	1030
	8PR		450	1025	980
	10PR	(5.50F SDC)	525	1130	1075
7.50R16	12PR		600	1230	1170
	10PR	5.50F SDC (6.00GS SDC)	575	1330	1265
7.50R16	12PR	(6.00GS SDC)	650	1440	1370

( )は標準リム、その他は許容リムを示します。  
対応空気圧は最大負荷能力に対する値です。

100kPa=1kgf/cm<sup>2</sup>

⚠ 空気圧が減少した場合、タイヤの負荷能力に対し荷重超過となり、タイヤが損傷したり事故につながる恐れがありますので  
設定空気圧を下回らないように注意してください。

**月に一度は空気圧の点検を!**

×閉じる